


# 510 WHITE LINE

---

The 510 White Dry Sanding Line is a universal series with an excellent price / performance ratio.



Thanks to the special stearate coating, clogging is minimized, offering thus high stock removal rates in applications such as surface treatments of body fillers, primers, lacquers and paints.



SCAN FOR  
MORE




510 WHITE LINE



The high quality grip backing offers excellent adhesion to the pad.

The open coat structure of the abrasive grain and the stearate top-coating enhance durability, preventing clogging and loading.



<b>Applications</b>	Automotive, Composites
<b>Grain</b>	Special aluminum oxide (ALOX)
<b>Backing</b>	D-wt, C-wt latex paper
<b>Bonding</b>	Resin over resin
<b>Coating</b>	Open, Special stearate coating against clogging and loading
<b>Grit Options</b>	P40, P60, P80, P100, P120, P150, P180, P220, P240, P320, P400, P500, P600, P800



TYPE	DIMENSIONS	HOLES
Velour Discs	Ø77mm	0
	Ø125mm	0, 8
	Ø150mm	0, 6+1, 8+1, 15, 17
Velour Strips	70x400mm	0, 14
	70x198mm	8
	93x185mm	8
	81x153mm	8
Velour Sheets	81x133mm	8
	115x230mm	0, 10
Velour Rolls	H115mmX25m	
	H70mmX25m	
Paper Rolls	H70mmX50m (25m for P36 & P40)	
	H115mmX50m (25m for P36 & P40)	
Paper Sheets	230x280mm	